

CAPACITY	EXTERNAL DIAMETER	HEIGHT*	TARE*	DESCRIPTION
litres	mm	mm	kg	
1	83	270	1.5	Steel cylinders for compressed gases
5	140	590	10.0	
10	140	960	15.0	
14	168	960	20.0	
20	203	960	27.0	
40	203	1670	47.0	
50	227	1680	58.0	
7	140	710	7.7	Steel cylinders for liquefied gases
14	168	960	20.0	
20	203	960	27.0	
27	203	1230	35.0	
40	203	1670	47.0	
50	227	1680	58.0	
5	140	580	11.0**	Steel cylinder for acetylene
14	168	960	27.0**	
20	203	960	38.0**	
40	227	1370	65.0**	
50	227	1680	80.0**	
**inclusive of acetone and porous mass				
14	168	950	21.0	Steel cylinders for hydrogen
20	203	960	30.0	
40	203	1670	53.0	
50	227	1680	63.0	
40	203	1570	62.0	Steel cylinder for carbon monoxide
1	102	240	2.0	Light alloy cylinders for mixtures
5	152	610	9.0	
10	176	800	15.0	
20	191	1200	25.0	
40	229	1580	45.0	
50	250	1650	57.0	

40 litres drums are also available for ammonia - liquefied hydrocarbons - halogenated hydrocarbons \*Measurements are inclusive of valve and cover cap